Index

Symboles

* (timeslin/3), 186
+ (pluslin/3), 174
+ (upluslin/3), 190
– (minuslin/3, 161
– (uminuslin/3), 189
.*. (times/3), 184
.+. (plus/3), 174
.+. (uplus/3), 189
.–. (uminus/3), 188
.–. (minus/3), 161
./. (div/3, 140
.^. (power/3), 175
/ (divlin/3), 141
: (index/3), 150
=, 142
∼ , 14

A

abs/2, 95
and/2, 95
approximation, 92
arabic-roman
    translation problem, 77
arccos/2, 96
arcsin/2, 97
arctan/2, 98
argv/1, 219
array
    definition, 199
    destruction, 217
    element
        assignment, 215
        evaluation, 216

B

band/3, 98
bcc/4, 99
bco/4, 101
bdif/3, 102
beq/3, 104
bequiv/3, 105
bfinite/2, 106
bge/3, 107
bgt/3, 108
bidentifier/2, 109
bimpl/3, 110
binfinite/2, 110
binlist/3, 111
bint/2, 113
ble/3, 114
bleaf/2, 115
blist/2, 116
blt/3, 116
bnidentifier/2, 118
bnint/2, 118
bnleaf/2, 119
bnlist/2, 120
bnot/2, 121
bnprime/2, 121
bnreal/2, 121
boc/4, 122
boo/4, 123
boolean, 30
boolsplit/1, 195
boolsplit/2, 195
bor/3, 124
bounds/3, 196
boutcc/4, 125
boutco/4, 126
boutlist/3, 127
boutoc/4, 127
boutoo/4, 129
bprime/2, 130
breal/2, 130
bxor/3, 131

C

cardinality operator, 100
cc/3, 131
ceil/2, 133
clause, 72
    block, 72
    normal form, 72
co/3, 134
compilation

directives, 221
file, 196, 214
`compile/1`, 196
`compile/2`, 196
compiler option
debug, 197
syntax, 197
`conc/3`, 134
concatenation, 26
constraint
atomic, 46
boolean, 30
linear, 66
logical concept, 46
numerical, 4
linear, 4
over real numbers, 6
resolution
approximated, 7
incompleteness, 10
reduction, 19
subdomain, 32
truth value, 30
`consult/0`, 197
`consult/1`, 197
consultation
file, 197, 214
`cos/2`, 135
`cosh/2`, 136
`cot/2`, 137
`coth/2`, 138
`cpu_time/1`, 198

D

debug
compiler option, 197
mode, 197
switch, 198, 211
`debug/0`, 198
directive, 222
debugger
commands, 228
`chpt`, 230
`cont`, 229
`contports`, 231
`halt`, 229
`help`, 230
`kill`, 229
`next`, 228
`nextports`, 231
`no_debug`, 229
`pbox`, 229
`printvar`, 230
`prolog`, 231
`source`, 229
`spy`, 230
`spyports`, 231
`step`, 228
`stepports`, 231
`subdomain`, 230
`unspy`, 230
`up`, 229
`where`, 229
options, 227
`contports`, 228
`nextports`, 227
`spyports`, 228
`stepports`, 227
debugging, 40
`def_array/2`, 199
`dif/2`, 139
directive
`debug/0`, 222
`dynamic/1`, 221
`include/1`, 222
`no_debug/0`, 222
`op/3`, 221
`set_prolog_flag/0`, 222
`syntax/1`, 221
directives, 221
`div/3`, 140
`divlin/3`, 141
domain, 2
`dynamic/1`
directive, 221

E

`ebounds/3`, 199
`eglb/2`, 201
`elub/2`, 201
`enum/1`, 202
`enum/3`, 202
enumeration, 20, 192
Booleans, 195
bounds of a domain, 199
domain bounds, 196
integer, 20, 208
integer (linear), 203
integer (simple), 202
least upper bound, 210
lower bound of a domain, 201, 207
real, 212
real numbers, 23
upper bound of a domain, 201
`enumlin/1`, 203
`enumlin/3`, 203

`eq/2`, 142
equality
  additional propagation, 70
`equiv/2`, 143
`ex`, 13
`exp/2`, 143
extended reals, 199

F

`finite/1`, 144
`float_rank/2`, 203
`float_size/2`, 204
`floor/2`, 145
formula
  logical concept, 45
`freeze/2`, 205

G

`gcd/3`, 145
`ge/2`, 146
`gelin/2`, 146
`get_istats/2`, 206
`get_istats/3`, 206
`glb/2`, 207
global variable
  assignment, 214
  evaluatio, 216
goal
  delay, 205
`gt/2`, 147
`gtlin/2`, 147

I

I/O, 35
identifier, 2
`identifier/1`, 148
`if/4`, 148
`impl/2`, 149
`include/1`
  directive, 222
`index/3`, 150
`infinite/1`, 151
`inlist/2`, 151
`bint/1`, 152
`int_size/2`, 208
`intdiv/3`, 154
integer enumeration, 80
interval, 8
  IEEE, 51
  IEEE, 8
  of real numbers, 50
  union, 12, 51
    command-line option, 220
`intsplit/1`, 208
`intsplit/2`, 208
`intsplit/3`, 208
iso
  mode, 220
ISO Prolog standard, 33

L

label, 25
launching
  from a shell, 219
`lcm/3`, 154
`le/2`, 155
leaf, 26
`leaf/1`, 155
`lelin/2`, 156
list, 26
  accessing elements, 27
  concatenation, 26
  empty, 26
  indexing, 27
  membership test, 29
  size, 26
`list/1`, 156
literal, 1
`ln/2`, 157
`log/2`, 158
`lt/2`, 159
`ltlin/2`, 159
`lub/2`, 210

M

magic series
  problem, 82
matrix product
  problem, 88
`max/3`, 160
`max_float/1`, 210
measurement
  CPU time, 198
    initialisation, 217
  interval statistics, 206
    initialisation, 216
  numerical domain
    float, 204
    integer, 208
    real, 211
`min/3`, 160
`min_positive_float/1`, 211
`minus/3`, 161
`minuslin/3`, 161
`mod/3`, 162
mode

debug, 197
iso, 220

N

n/3, 162
nidentifier/1, 163
nint/1, 164
nleaf/1, 165
nlist/1, 165
no_debug/0, 211
directive, 222
node, 25
child, 25
label, 25
not/1, 166
notation
functional, 15
relational, 15
nprime/1, 166
nreal/1, 167
ntree/1, 167
number
floating-point
rank, 203
IEEE rational
largest, 210
smallest positive, 211
real
extended, 199

O

o (conc/3), 134
oc/3, 168
oo/3, 169
op/3
directive, 221
operation
arity, 45
concept, 45
over trees, 54, 61
ovre trees, 62
partial, 45
operator
cardinality, 100
option
command line, 33, 219
debugger, 227
or/2, 169
outcc/3, 170
outco/3, 171
outlist/2, 171
outoc/3, 172
outoo/3, 173

P

pi/1, 173
plus/3, 174
pluslin/3, 174
power/3, 175
prime/1, 176
privileged subdomain
axiomes, 64
axioms, 62
category, 52
constraint, 32
generalities, 51
privileged subdomains, 91
axioms, 60, 67
problem
21-square problem, 83
9-square problem, 88
arabic-roman translation, 77
integer enumeration, 80
magic series, 82
matrix product, 88
matrix transposition, 79
Shur coloring, 78
Wilkinson's polynomial, 85
program, 72
programming tips
accesing a list's elements, 150
accessing the elements of a list, 152
cardinality operator, 100
concatenation and delays, 135
equality and logical equivalence, 106
integers and unions of intervals, 153
intersection and conjunction, 162
periodic functions and unions of intervals, 135
surprising examples, 15
the **if/4** relation and control, 148
union and disjunction, 100, 187
Prolog IV machine, 75
Prolog IV predefined predicates
boolsplit/1, 195
boolsplit/2, 195
bounds/3, 196
compile/1, 196
compile/2, 196
consult/0, 197
consult/1, 197
cpu_time/1, 198
debug/0, 198
def_array/2, 199
ebounds/3, 199
eglb/2, 201

elub/2, 201
enum/1, 202
enumlin/1, 203
enum/3, 202
enumlin/3, 203
float_rank/2, 203
float_size/2, 204
freeze/2, 205
get_istats/2, 206
get_istats/3, 206
glb/2, 207
int_size/2, 208
intsplit/1, 208
intsplit/2, 208
intsplit/3, 208
lub/2, 210
max_float/1, 210
min_positive_float/1, 211
no_debug/0, 211
real_size/2, 211
realsplit/1, 212
realsplit/2, 212
realsplit/3, 212
realsplit/4, 212
recompile/1, 214
recompile/2, 214
reconsult/0, 214
reconsult/1, 214
record/2, 214, 215
recorded/2, 216
reset_cpu_time/0, 217
reset_istats/0, 216
undef_array/1, 217
proposition
logical concept, 46
pseudo-operation, 45
pseudo-term, 7, 15

Q

quantification
existential, 13
query, 1

R

rational numbers, 50
IEEE, 50
decimal, 50
real/1, 176
real_size/2, 211
realsplit/1, 212
realsplit/2, 212
realsplit/3, 212
realsplit/4, 212
recompile/1, 214
recompile/2, 214
reconsult/0, 214
reconsult/1, 214
record/2, 214, 215
recorded/2, 216
relation
arity, 45
concept, 45
dif, bdif and beq, 68
general, 64
to be linearised, 67
Relations
naming conventions, 93
Booleans, pseudo-operations
band/3, 98
bequiv/3, 105
bimpl/3, 110
bnot/2, 121
bor/3, 124
bxor/3, 131
Booleans, relations
and/2, 95
equiv/2, 143
impl/2, 149
not/1, 166
or/2, 169
xor/2, 190
Lists and trees, pseudo-operations yielding Booleans
bdif/3, 102
beq/3, 104
bfinite/2, 106
bidentifier/2, 109
binfinite/2, 110
binlist/3, 111
bleaf/2, 115
blist/2, 116
bnidentifier/2, 118
bnleaf/2, 119
bnlist/2, 120
bnreal/2, 121
boutlist/3, 127
breal/2, 130
Lists and trees, relations
=, 142
dif/2, 139
eq/2, 142
finite/1, 144
identifier/1, 148
infinite/1, 151
inlist/2, 151
leaf/1, 155

list/1, 156
nidentifier/1, 163
nleaf/1, 165
nlist/1, 165
nreal/1, 167
ntree/1, 167
outlist/2, 171
real/1, 176
tree/1, 187
Lists and trees, usual pseudo-operations
conc/3, 134
if/4, 148
index/3, 150
n/3, 162
size/2, 180
u/3, 187
Reals and integers, usual pseudo-operations
ceil/2, 133
floor/2, 145
gcd/3, 145
intdiv/3, 154
lcm/3, 154
Reals, algebraic and trigonometric pseudo-operations
arccos/2, 96
arcsin/2, 97
arctan/2, 98
cos/2, 135
cosh/2, 136
cot/2, 137
coth/2, 138
exp/2, 143
ln/2, 157
log/2, 158
pi/1, 173
power/3, 175
root/3, 177
sin/2, 178
sinh/2, 179
sqrt/2, 181
square/2, 181
tan/2, 183
tanh/2, 184
Reals, pseudo-operations yielding Booleans
bcc/4, 99
bco/4, 101
bge/3, 107
bgt/3, 108
bint/2, 113
ble/3, 114
blt/3, 116
bnint/2, 118
bnprime/2, 121
boc/4, 122
boo/4, 123
boutcc/4, 125
boutco/4, 126
boutoc/4, 127
boutoo/4, 129
bprime/2, 130
Reals, relations
cc/3, 131
co/3, 134
ge/2, 146
gelin/2, 146
gt/2, 147
gtlin/2, 147
bint/1, 152
le/2, 155
lelin/2, 156
lt/2, 159
ltlin/2, 159
nint/1, 164
nprime/1, 166
oc/3, 168
oo/3, 169
outcc/3, 170
outco/3, 171
outoc/3, 172
outoo/3, 173
prime/1, 176
Reals, usual pseudo-operations
abs/2, 95
div/3, 140
divlin/3, 141
max/3, 160
min/3, 160
minus/3, 161
minuslin/3, 161
mod/3, 162
plus/3, 174
pluslin/3, 174
times/3, 184
timeslin/3, 186
uminus/2, 188
uminuslin/2, 189
uplus/2, 189
upluslin/2, 190
reset_cpu_time/0, 217
reset_istats/0, 216
root/3, 177
rule, 2
base, 2
block, 36, 191

entering, 36
input, 191

S

`set_prolog_flag/0`
directive, 222
Shur
coloring problem, 78
`sin/2`, 178
`sinh/2`, 179
`size/2`, 180
solution, 47
solver
approximated, 4
linear, 4
`sqrt/2`, 181
`square/2`, 181
squares
21-square problem, 83
9-square problem, 88
stack
choice (choice points), 220
env (environments), 220
global (consult, record), 220
heap (terms and structures stack, 220
trail (restore stack), 220
stacks, 219
size, 219
stream, 35
descriptor, 35
input, 35
output, 35
structure
concept, 47
syntax
compiler option, 197
`syntax/1`
directive, 221

T

`tan/2`, 183
`tanh/2`, 184
term
logical concept, 45
`times/3`, 184
`timeslin/3`, 186
transposition
matrix problem, 79
tree, 25
label, 25
node, 25
rational, 51, 92
twice rational, 51, 92
`tree/1`, 187

U

`u/3`, 187
`uminus/2`, 188
`uminuslin/2`, 189
`undef_array/1`, 217
union of intervals, 12
unions of intervals, 33
`uplus/2`, 189
`upluslin/2`, 190
`user_argv/1`, 219

V

variable, 2
anonymous, 13, 15
assignment, 47
domain, 2, 8
bounds, 196
reduction, 19
existential, 13

W

Wilkinson's polynomial
problem, 85

X

`xor/2`, 190